Your **MyRotenso** family of control options

Control your Wentilo heat recovery unit wherever and however you want, whether you are at home or in the office.



Rotenso iSWITCH

Matrix control panel **sensory**



iSWITCH Ti white



iSWITCH Ti black

Rotenso iConnect

Remote control system via **mobile devices** and **browser**

Mobile app for Android / iOS



Rotenso iCONNECT

Internet browser



Rotenso iCONNECT WEB

MyRotenso

Steer me **as you wish**

Rotenso iSENSE

Control panel with **a colour touchscreen**



iSENSE 5i white



iSENSE 5i black



Rotenso iConnect

Remote control system via **mobile devices** and **browser**

Mobile app for Android / iOS



Rotenso iCONNECT

Internet browser



Rotenso iCONNECT WEB

Control panel with sensor matrix iSWITCH Ti




Controlling your home's heat recovery ventilation system is made easy with the intuitive iSWITCH Ti control panel.

- Sensory matrix.
- Built-in wi-fi module.
- Built-in BT module.
- The heat recovery unit can also be controlled via the iConnect mobile app or the iConnect WEB browser.
- Built-in temperature sensor.
- Built-in humidity sensor.
- Ergonomic and intuitive.
- Panel dimensions: 80 x 80 x 10 mm.



White or **black**? We give you the choice.



iSWITCH Ti white



iSWITCH Ti black

Control panel with sensor matrix iSWITCH Ti

Information
Indicator light when an alarm occurs

wi-fi/BT
LED indicating network connection status wi-fi or standard BT communication

ON/OFF
On/off button for the Wentilo heat recovery unit

Schedule
Button to activate operation according to a predefined schedule



Intensity ventilation
Selection of one of three ventilation intensity levels

Manual mode
Switching to manual operation mode. Controlling the fans of the set gear

AUTO mode
Switch to automatic operation mode. Adjustment of ventilation intensity based on readings from air quality sensors

